ASSIGNED

AMENDED APPLICATION FOR PERMIT Serial No.2896 TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in St Returned to applicant for correction	ate Engineer's officeFEB 27 1914
Returned to applicant for correction Corrected application filed	n FEB 28 1914. APR 25 1914
The undersigned O.C. Pe	eacock,
	unty of White Pine,
State of Nevada	, hereby makes application for
permission to appropriate the public	waters of the State of Nevada,
as hereinafter stated. (If applicant	t is a corporation give date and
place of incorporation.)	
1. The source of the proposed appro	opriation is EPH CREEK Name of stream, lake, or other source.
2. The amount of water applied for	is 1 cubic foot per second - feets
3. The water to be used for Irrigat	ion and domestic purposes. tion, power, mining, manufacturing, domestic, or other use.
4. The water is to be diverted from	n its source at the following
point: Center west line of Sec. 16. Describe as being within a 40-acre subdivision of public survey, or by course and dis	Twp. 12 N. Range 62 East,
Mt. Diablo B & M.	
IF THE WATER IS TO BE USED FOR TRRIGATION,	SUPPLY THE FOLLOWING INFORMATION:
(a) Number of acres to be irrigated	
(b) Description of land to be irrig	
7 Lund Ten acre plat survey, situated	Describe by legal subdivision, or if on unsurveyed land it
should be so stated and a description provided in accordance with special instruction. Twp. 12 N.R. 62 E., Mt.Diablo B & M.	n from the State Engineer when application is returned for correction.
wp. 12 Kare Oz. B., Mo.Diaolo D & M.	
(c) Irrigation will begin about	Month
November, of each yea	${f r}_{f c}$
IF WATER IS TO BE USED FOR POWER, MINING, TR	ANSPORTATION, OR OTHER USE, SUPPLY THE
FOLLOWING INFO	
(d) Power to be developed is	horse power.
(e) Works to be located	Least a law assessment of distance to assess on correct
Give 40-acre subdivision on which works will be located, or	locate by course and distance to a section corner.
(f) Point of return of water to stre	
(f) Point of return of water to stre	Describe in same manner as point of diversion.
(f) Point of return of water to stre	

DESCRIPTION OF PROPOSED WORKS

7	Small dam and ditch. State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water
	is to be stored in reservoirs it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.
- V	
4.4	
1	5. Estimated cost of works \$150.00
	6. Estimated time required to construct works 90 days,
1	
-	7. Remarks For use of applicant.
Section 1	OLIVER C. PEACOCK Applicant
1	, 11992100110.
	By
7	Compared //////
	This sheet inspected
	Engineer.
14	
-	APPROVAL OF STATE ENGINEER
4	This is to certify that I have examined the foregoing appli-
ų.	cation, and do hereby grant the same, subject to the following lim-
100	itations and conditions: This permit is issued subject to vested rights.
7	The use of water herein granted is subject to regulation
rit !	
	by the state at all times.
	by the state at all times.
7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	by the state at all times.
"I i	The amount of water to be appropriated shall be limited to the
"I i	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed
	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second.
	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed
E	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second.
	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second. Actual construction work shall begin on or before May 4th.1915.
	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second. Actual construction work shall begin on or before May 4th.1915. Proof of commencement of work shall be filed before June 4th.1915.
**************************************	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second. Actual construction work shall begin on or before May 4th.1915. Proof of commencement of work shall be filed before June 4th.1915. Work must be prosecuted with reasonable diligence and be completed on or before August 4th.1915. Application of water to beneficial use shall be made on or before
**************************************	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second. Actual construction work shall begin on or before May 4th.1915. Proof of commencement of work shall be filed before June 4th.1915. Work must be prosecuted with reasonable diligence and be completed on or before August 4th.1915.
	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second. Actual construction work shall begin on or before May 4th.1915. Proof of commencement of work shall be filed before June 4th.1915. Work must be prosecuted with reasonable diligence and be completed on or before August 4th.1915. Application of water to beneficial use shall be made on or before
	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second. Actual construction work shall begin on or before May 4th,1915. Proof of commencement of work shall be filed before June 4th,1915. Work must be prosecuted with reasonable diligence and be completed on or before August 4th,1915. Application of water to beneficial use shall be made on or before October 4th,1918.
	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second. Actual construction work shall begin on or before May 4th.1915. Proof of commencement of work shall be filed before June 4th.1915. Work must be prosecuted with reasonable diligence and be completed on or before August 4th,1915. Application of water to beneficial use shall be made on or before October 4th.1918. Proof of the application of water to beneficial use must be filed with ***Live** State** Engineer on or before November 4:1918. WITNESS MY HAND AND SEAL this 4th. day of September,1914.
	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second. Actual construction work shall begin on or before May 4th,1915. Proof of commencement of work shall be filed before June 4th,1915. Work must be prosecuted with reasonable diligence and be completed on or before August 4th,1915. Application of water to beneficial use shall be made on or before October 4th,1918. Proof of the application of water to beneficial use must be filed with time State Engineer on or before November 4:1918. WITNESS MY HAND AND SEAL this 4th, day of September,1914. Mapfied Oct 20-1914.
	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second. Actual construction work shall begin on or before May 4th.1915. Proof of commencement of work shall be filed before June 4th.1915. Work must be prosecuted with reasonable diligence and be completed on or before August 4th,1915. Application of water to beneficial use shall be made on or before October 4th.1918. Proof of the application of water to beneficial use must be filed with the State Engineer on or before November 4;1918, WITNESS MY HAND AND SEAL this 4th, day of September,1914, Map filed Oct. 20-1914 Proof of labor filed JN - 7:1015 What feature State Engineer on or before November 4;1918.
	The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed One (1) cubic feet per second. Actual construction work shall begin on or before May 4th.1915. Proof of commencement of work shall be filed before June 4th.1915. Work must be prosecuted with reasonable diligence and be completed on or before August 4th,1915. Application of water to beneficial use shall be made on or before october 4th.1918. Proof of the application of water to beneficial use must be filed with time State Engineer on or before November 4;1918. WITNESS MY HAND AND SEAL this 4th. day of September,1914. Mapfiled Oct 20-1914. Proof of labor filed UN - 7:315